



Topic 9: JavaScript

Data Types

Lecture Contents

- Examples
- Function `typeof()`
- JavaScript Types
 - number
 - string
 - boolean

Browser Console


- Open a browser console, and at the prompt, type the following, then press *<enter>* (don't type the prompt character, “>”) :

> 2+5

Browser Console

- Open a browser console, and at the prompt, type the following, then press *<enter>* :

> 2+5



Browser Console


- Open a browser console, and at the prompt, type the following, then press *<enter>* :

> alert(2+5);

Browser Console

- Open a browser console, and at the prompt, type the following, then press *<enter>* :

> alert(2+5);



Browser Console


- Open a browser console, and at the prompt, type the following, then press *<enter>* :

```
> typeof(23);
```

Browser Console

- Open a browser console, and at the prompt, type the following, then press *<enter>* :

> typeof(23);




Browser Console

- Open a browser console, and at the prompt, type the following, then press *<enter>* :
 - > `typeof("Hello");`

Browser Console

- Open a browser console, and at the prompt, type the following, then press *<enter>* :

> typeof("Hello");




Browser Console

- Open a browser console, and at the prompt, type the following, then press *<enter>* :
 - > `typeof(false);`

Browser Console

- Open a browser console, and at the prompt, type the following, then press *<enter>* :

> typeof(false);



Summary

- JavaScript data types:
 - number
 - string
 - boolean



Topic 9: JavaScript

Data Types